CIVIL SUPPLIES SECRETARIAT

Notification No. C. 846—C. O. 33-44-42, dated Bangalore, the 14th March 1945.

In exercise of the powers conferred by clause (c) of sub-section (1) of Section 3 of the Hoarding and Profiteering Prevention Act of 1944 (Act XXII of 1944), and in amplification of their Notification No. C.—C. O. 78-81-44-7, dated 18th August 1944, the Government of His Highness the Maharaja are pleased to fix as in the Schedule annexed hereto the maximum retail prices which may be charged in respect of the types of radio tubes and other spare parts specified therein.—

E. V. GANAPATI IYER, *Secy., Civil Supplies Dept.*

SCHEDULE

1. SPARE PARTS AND COMPONENTS OTHER THAN TUBES.

Serial No.	Description of the part and/or component	Manufacturer's part and/or component number	Unit Retail Price (Maximum Price)
1	2	3	4
	WESTINGHOUSE SETS.		
	Models M-108 & N-208.		Rs. a. p.
1	Band Switch	2A211	12 10 0
2	"A" Range Antenna Coil	26A359	8 2 0
3	"A" Range Oscillator Coil	26A374	10 6 0
4	"B" Range Antenna Coil	26A371	14 14 0
5	"B" Range Oscillator Coil	26A376	14 6 0
6	Shunt Antenna Tracking Coil (C & D ranges)	9A1498	5 6 0
7	Shunt Oscillator Tracking Coil (C & D ranges)	9A1501	7 3 0
8	1st I. F. Transformer Assembly	9A1524	10 13 0
9	2nd I. F. Transformer Assembly	9A1525	12 10 0
10	Power Transformer (120-240 volt., 50-60 Cycle universal transformer)	53×254	52 3 0
11	Output Transformer	51×103	12 2 0
12	Volume Control	36×300	6 12 0
13	Tone Control	40×256	4 15 0
14	Dial Glass	17×67	0 14 0
15	Dial Scale	58×555	5 14 0
16	Dial Pointers	15×163	1 6 0
17	Dial Lamps (No. 44)	7A36	0 9 0
18	Snap Buttons	28×292	1 13 0
19	55", 18-lb drive cord	..	1 6 0
20	Complete Tuning Assembly	26×347	99 0 0
21	Dry Electrolytic Condenser (10-20 mf., 350 volts.)	45×326	13 15 0
22	Dry Electrolytic Condenser (20 mf., 25 volts)	45×328	4 8 0
23	Trimmer Condenser	17A184	3 2 0
24	Trimmer Condenser	17A68	3 2 0
25	Ceramic Condenser	47×181	2 4 0
26	Ceramic Condenser	47×164	1 13 0
27	Tubular Condenser	48×331	1 6 0
28	Carbon Resistors	E94352	2 11 0
29	Carbon Resistors	D94231	2 11 0
30	Carbon Resistors	B95405	0 14 0
31	Carbon Resistors	B95105	0 14 0
32	Tube Socket	3A303	1 6 0
33	Tube Socket	3A315	1 13 0
34	Line cord and Plug Assembly	13×328	4 1 0
35	Band Switch Knob	10A378	0 14 0
36	Tuning Knob	10A376	0 14 0
37	Volume Control Knob	10A377	0 14 0
38	Tone Control Knob	10A423	0 14 0
39	Tube Caps	32×267	1 13 0
40	Tuning Shaft	26×363	2 11 0
41	Bracket for Tuning Shaft	25×886	1 6 0
42	Coupling for Tuning Shaft	29×148	2 4 0
43	Pins for 29×148 Coupling	29×147	2 4 0
44	Dial Scale Clamps	30×150	1 13 0
45	Tubular Condenser	F64203	1 6 0
46	Drive Cord Tension Spring	28×95	0 3 0
	Model N-204.		
47	"A" range Antenna Coil assembly	26A361	8 2 0
48	"A" range Oscillator Coil assembly	26A362	9 14 0
49	"B" range Antenna Coil assembly	26A363	13 15 0
50	"B" range Oscillator Coil assembly	26A364	13 15 0
51	Shunt Antenna Tracking Coil	9A1498	5 6 0
52	Shunt Oscillator Tracking Coil	9A1501	7 3 0
53	2nd I. F. Transformer Assembly	9A1603	13 1 0
54	Tone Switch	2A218	4 8 0
55	Dial Scale	58×551	6 5 6
56	Dial Lamps (No. 51)	7A32	0 6 0
57	Snap Buttons	28×292	1 13 0
58	53", 18lb. drive cord	..	1 6 0
59	Dry Electrolytic Condenser	45×333	11 4 0
60	Do	45×323	1 6 0
61	Do	45×324	4 15 0
62	Trimmer Condenser	17A184	3 2 0
63	Do	17A68	3 2 0
64	Ceramic Condenser	47×164	1 13 0
65	Moulded Condenser	47×57	0 14 0
66	Tubular Condenser	46×331	1 6 0
71	Tube Socket	3A315	1 13 0
72	Phono Socket	3A296	1 6 0
73	Tube Socket	3A293	1 13 0
74	Line Cord and Plug Assembly	13×328	4 1 0
75	Band Switch Knob	10A378	0 14 0
76	Tuning Knob	10A376	0 14 0
77	Volume Knob	10A377	0 14 0
78	Tone Knob	10A423	0 14 0
79	Tuning Shaft	26×363A	40 8 0
80	Coupling for Tuning Shaft	29×148A	Total price
81	Pin for 29×148A Coupling	29×147A	for the three items.)
82	Dial Scale Clamps	30×190	0 14 0
83	Drive Cord Tension Spring	28×95	0 3 0
84	Voltage (adapter) Tube 220 v.	6A250	3 2 0
85	Voltage (adapter) Tube 110 v.	6A251	3 2 0
	Model N-210.		
86	10" Electro-dynamic loud-speakers	12A426	60 5 0
87	Cone and Voice Coils	..	15 5 0
88	Sockets Octal Moulded	3A293	1 13 0
89	Speaker Sockets	3A294	1 6 0
90	Voltage change over Sockets	3A311	0 14 0
91	Socket Phono	3A296	1 6 0
92	Tuning Eye Tube Socket	13×425	4 8 0
93	Range Switch	2A198	22 8 0
94	Phono Radio Switch	2A197	5 6 0
95	High Fidelity Switch	2A161	3 2 0
96	Knob (phono switch)	10A385	1 13 0
97	Knob (range switch)	10A378	0 14 0
98	Knob (Tuning Control)	10A392	1 13 0
99	Knob (Volume and Tone Control)	10A392	1 13 0
100	Voltage change over Plug	26A318	3 2 0
101	Line Cord and Assembly	13×328	4 1 0
102	Bakelite Mounting Plate for electric cord	1×74	0 7 0
103	Rubber Cushions	8×25	0 14 0
104	Pilot light socket and cable assembly	7A144	2 11 0
105	"On" Indicator Lamp (No. 51)	..	0 7 0
106	Antenna Transformer Assembly Ranges D and E	9A1416	8 9 0
107	Antenna Transformer Assembly Ranges B and C	9A1415	10 6 0
108	Antenna Transformer Assembly Range A	9A1405	9 0 0
109	R. F. Transformer Assembly Ranges B, C, D and E	9A1417	15 12 0
110	R. F. Transformer Assembly Range A	9A1406	9 14 0
111	Oscillator Coil Assembly Ranges D and E	9A1418	5 14 0
112	Oscillator Coil Assembly Ranges A, B and C	9A1407	12 10 0
113	First I. F. Transformer and Can assembly	9A1408	14 6 0
114	Second I. F. Transformer and Can assembly	9A1419	18 0 0
115	Output Transformer	51×95	15 12 0
116	Power transformer, 100/220v, 40–60 cycles	53×238	67 15 0
117	R. F. Plate Reactor	9A1115	4 8 0
118	Ceramic Condensers	47×159	1 13 0
119	Do	47×131	1 13 0
120	Do	47×170	3 10 0
121	Do	47×154	2 11 0
122	Moulded Condensers	47×56	0 14 0
123	Do	47×57	0 14 0
124	Do	47×43	1 6 0
125	Do	47×65	1 6 0
126	Do	47×69	1 6 0
127	Tubular Condensers	46×320	1 6 0
128	Do	46×332	2 11 0
129	Do	46×331	1 6 0
130	Do	46×335	2 11 0
131	Do	46×319	1 6 0
132	Do	46×333	1 6 0
133	Do	46×318	1 6 0
134	Do	46×323	1 6 0
135	Do	46×338	2 4 0
136	3 Section Gang Condenser Ranges B, C, D and E	14A142	27 0 0
137	3 Section Gang Condenser Ranges A and B	14A143	44 2 0
138	Trimmers	17A109	2 11 0
139	Do	17A119	5 14 0
140	Do	17A156	6 5 0
141	Do	17A168	4 1 0
142	Do	17A169	2 11 0
143	Do	17A170	3 2 0
144	Do	17A156	6 5 0
145	Carbon Resisters	B95205	0 14 0
			1 6 0

1	2	3	4
			Rs. a. p.
150	Carbon Resistors	B94303	1 6 0
151	Do	B95505	0 14 0
152	Do	B95154	0 14 0
153	Do	B94154	1 6 0
154	Do	B93154	1 13 0
155	Do	B93205	1 13 0
156	Do	B95154	0 14 0
157	Do	B91305	1 6 0
158	Do	B95605	0 14 0
159	Do	B94151	1 6 0
160	Do	B94500	1 6 0
161	Do ..	B95305	0 14 0
162	Do	B95104	0 14 0
163	Do	B95504	0 14 0
164	Do	B94124	1 6 0
165	Wire Wound Resister	43×109	3 2 0
166	Do	43×113	1 6 0
167	Volume Control and on-off Switch ..	36×304	7 3 0
168	Tone Control	40×260	7 3 0
169	Dial Mounting Plate Assembly ..	26A305	23 6 0
170	Dial Scale Glass	58×519	13 1 0
171	Clamps for Glass	50×181	0 14 0
172	Felt Dial Background	58×520	4 8 0
173	High-field Indicator	15×194	0 14 0
174	Pointer for Dial Scale	15×188	1 6 0
175	62" Drive Cord, 18 lb. test	..	1 6 0 (per yard).
176	80" Drive Cord, 30 lb. test	..	1 13 0 (per yard).
177	String Clamp	50×182	0 14 0
178	Tension Spring for Cord Drive ..	28×293	0 1 0
179	Do	28×114	4 8 0 (per doz.)
180	Drive Pulley and Hunb Assembly ..	26A306	7 10 0
181	Brace Bracket	25×848	0 14 0
182	Coupling Arm and Bushing ..	37×170	2 11 0
183	Link for Coupling Arm ..	37×168	0 7 0 (per doz.)
184	Tension Spring for Coupling Arm ..	28×248	2 11 0
185	Dial Lamp (No. 44)	7A36	0 9 0 each.
186	Dial Lamp Socket Assembly ..	7A135	2 11 0
187	High Field Indicator Lamp Socket and Wire Assembly	7A143	1 6 0
	Models M-116 and M-112.		
188	P Range Antenna Coil Assembly ..	26A369	8 2 0
189	B Range Oscillator Coil Assembly ..	26A370	9 0 0
190	Do	26A372	11 4 0
191	Universal Power Transformer ..	53×252	46 13 0
192	Volume Control and Switch	36×306	6 12 0
193	Line Cord and Plug Assembly ..	13×328	4 1 0
194	Dial Scale	58×563	5 6 0
195	Tuning Shaft	26×363	2 11 0
196	Bracket for Tuning Shaft	25×886	1 6 0
197	Coupling for running	29×143	2 4 0
198	Pins for above Coupling ..	29×147	2 4 0
199	Clamps for Dial Scale	30×190	0 14 0
200	Light Diffuser	41×66	1 13 0
201	Snap Pins (Light diffuser to mounting) ..	28×56	0 14 0
202	Tension Spring for Drive Cord ..	28×95	2 4 0
293	Dial Lamp Cable and Socket Assembly ..	7A145	1 13 0 each.
204	Dial Lamp (No. 44)	7A36	0 9 0 each.
205	Drive Cord 63", 8 lbs. test	..	1 6 0 (per yard).
206	Tuning Knobs	10A376	0 14 0
207	Volume Knobs	10A377	0 14 0
208	Range Knobs	10A378	0 14 0
209	Tone Knobs	10A423	0 14 0
210	Snap Pins (Back to Cabinet) ..	28×293	1 13 0 (per doz.)
211	Tube Socket Octal Moulded	3A303	1 6 0
212	Tube Socket Octal Wafer	3A315	1 13 0
213	Phono Socket	3A296	1 6 0
214	Carbon Resistors	C94201	2 11 0
215	Trimmer Condensers	17A176	3 2 0
216	Do	17A188	7 4 0
217	Do	17A184	3 2 0
218	Do ..	17A68	3 2 0
219	Tubular Condensers	46×331	1 6 0
220	Ceramic Condensers	47×118	2 4 0
221	Do	47×187	1 13 0
222	Moulded Condensers	47×65	1 6 0
223	Ceramic Condensers ..	47×182	2 4 0
224	Dual Moulded Condensers	47×172	1 6 0
225	Electrolytic Condensers	45×330	10 13 0
	Model, M-112 Phonograph parts.		
226	Knobs Band and Phono	10A439	0 14 0
227	Knobs Tuning	10A440	0 14 0
228	Knobs Volume	10A441	0 14 0
229	Knobs Tone	10A442	0 14 0
230	Phono Switch only	2A223	5 6 0

RCA SETS.

Model Q-23.

1	2	3	4
			Rs. a. p.
231	Bracket Drive Cord Pulley Bracket (1 Pulley)	97539-501	1 8 0
232	Bracket Support Bracket for Shaft and		
233	Bracket, Tone Control Bracket ..	94258-501	1 14 0
234	Calibrator Drive Drum calibrator scale ..	27586-3	0 12 0
235	Capacitor, Electrolytic comprising 3 Section of 10 mfd., 450 volts and 1 Section of 20 mfd., 25 volts ..	86033-4	15 12 0
236	Capacitor, Air Trimmer (medium) ..	86033-4	15 12 0
237	Capacitor, Mica Trimmer comprising 3 .. sections of 2, 5, 10 mmf. ..	80832-503 91266-4	3 12 0 4 8 0
238	Capacitor, .0015 mfd., 1500 v. ..	72050-681	1 14 0
239	Capacitor, .0025 mfd., 700v. ..	72017-601	1 8 0
240	Capacitor, .005mfd., 1000v.	72043-526	1 14 0
241	Capacitor, .01mfd., 300v. ..	72050-649	1 14 0
242	Capacitor, .01mfd., 1000v. ..	72045-612	1 14 0
243	Capacitor, .035mfd., 400v. ..	72017-620	1 8 0
244	Capacitor, .05mfd., 400v. ..	72045-607	1 8 0
245	Capacitor, .05mfd., 400v. ..	72017-623	1 8 0
246	Capacitor, 6mf., ceramic	85514-24	2 10 0
247	Capacitor, 15mmf., ceramic ..	90579-113	2 10 0
248	Capacitor, 15mmf., silvered mica ..	95095-509	2 10 0
249	Capacitor, 47mmf., Ceramic ..	90580-125	2 10 0
250	Capacitor, 47mmf., silvered mica ..	95094-530	2 10 0
251	Capacitor, 56mmf.	80390-527	1 14 0
252	Capacitor, 56mmf., moulded ..	86035-514	2 10 0
253	Capacitor, 68mmf., Ceramic ..	90579-129	2 10 0
254	Capacitor, 68mmf., silvered mica ..	95094-538	2 10 0
255	Capacitor, 100mmf.	80390-533	1 14 0
256	Capacitor, 100 mmf., moulded ..	86035-547	2 10 0
257	Capacitor, 220 mmf., moulded ..	86035-551	2 10 0
258	Capacitor, 560 mmf., silvered mica ..	95094-581	2 10 0
259	Capacitor, 3000 mmf., tubular ..	72042-568	4 2 0
260	Coil, antenna coil, "A" band ..	91430-502	8 4 0
261	Coil, antenna coil, spread band ..	91264-503	5 10 0
262	Coil, Oscillator coil, "A" and "B" band	91461-501	6 0 0
263	Coil, Oscillator Coil, 25 meter band ..	91252-504	3 12 0
264	Coil, Oscillator Coil, 31 meter band ..	91252-503	3 6 0
265	Condenser, variable tuning condenser ..	91434-1	21 0 0
266	Tone Control	97500-13	7 8 0
267	Volume Control and Power Switch ..	97501-127	15 0 0
268	Cord, Drive Cord (approximate 27" overall length)	93818-523	0 12 0
269	Pointer Cord (approximate 43" overall length)	90465-503	1 14 0
270	Core, Adjustable Core and Stud for I. F. Transformers	78691-501	1 2 0
271	Core, Adjustable Core and Stud for Coil 91401-501	88097-703	1 2 0
272	Core, Adjustable Core and Stud for Coils 91248-505, 91252-504 and 91252-503	87571-501	2 0
273	Drive drum less calibrator dial ..	91444-506	4 2 0
274	Flywheel, Tuning Knob Shaft flywheel ..	94074-1	8 4 0
275	Plug, 4 contact female plug for speaker cable	77243-2	2 4 0
276	Pulley, Drive Cord Pulley	87297-5	0 12 0
277	Resistor, 10 ohms., 0.25 watt type ..	78726-38	1 8 0
278	Resistor, 560 ohms., 1 watt type ..	78728-59	1 10 0
279	Resistor, 12,000 ohms., 0.25 watt type	78726-75	1 8 0
280	Resistor, 15,000 ohms., 3 watt type ..	94369-75	2 10 0
281	Resistor, 22,000 ohms., 0.25 watt type	78726-11	1 8 0
282	Resistor, 33,000 ohms., 0.25 watt type ..	78726-22	1 8 0
283	Resistor, 120,000 ohms., 0.25 watt type	78726-87	1 8 0
284	Resistor, 150,000 ohms., 0.5 watt type ..	87727-88	1 8 0
285	Resistor, 330,000 ohms., 0.25 watt type	78726-92	1 8 0
286	Resistor, 470,000 ohms., 0.5 watt type ..	78727-29	1 8 0
287	Resistor, 1 megohm, 0.25 watt type	78726-31	1 8 0
288	Resistor, 2.2 megohms, 0.25 watt type	78726-33	1 8 0
289	Resistor, 10 megohms., 0.25 watt type ..	78726-37	1 8 0
290	Screw, 8-32 square head set screw for drum	63486-2230	0 4 0
291	Shaft, Tuning Knob Shaft	94080-3	1 14 0
292	Socket, phono input socket	82373-6	1 2 0
293	Socket, Tube Socket	94067-1	1 14 0
294	Spring, Cord Spring	81391-13	0 6 0
295	Spring, retaining spring for core and stud	75909-1	0 2 0
296	Spring, retaining spring for Oscillator Coils core and stud	87567-1	0 1 0
297	Switch, Range Switch	91439-8	16 14 0
298	Switch, Voltage Switch	86137-3	2 10 0
299	Transformer, First I. F. Transformer ..	91445-505	12 12 0
300	Transformer, Second I. F. Transformer ..	91445-503	13 14 0
301	Transformer, Power Transformer 105v 120V/200-220V., 50-60 Cycle ..	87386-502	33 12 0
302	Washer, "C" Washer for Tuning Knob Shaft	61933-1	0 4 0
303	Cap, Dust Cap	79463-2	0 4 0
304	Coil, Field Coil	89049-503	12 12 0
305	Coil, Neutralizing Coil	88199-501	1 14 0
306	Plug, 4 prong male speaker plug ..	77209-2	2 4 0
307	Transformer, Output transformer ..	89659-503	10 2 0
308	Dial, Glass dial scale	29395-1	22 8 0
309	Indicator, Station Selector indicator ..	94842-505	3 12 0
310	Knob, Tone Control Knob	86943-511	1 14 0
311	Knob, Tuning Knob	95060-502	1 14 0
312	Knob, Volume Control or Range Switch Knob	89643-512	1 14 0
313	Lamp, dial lamp	61114-15	1 5 0
314	Rail, Indicator guide rail	94530-3-230	1 8 0
315	Spring Retaining Spring for knobs ..	82890-2	0 6 0
	Model Q-11.		
316	Capacitor, Mica trimmer comprising 3 sections of 5-50 mmfd., and 2 sections		

1	2	3	4 Rs. a. p.
319	Capacitor, 100 mmfd.	80390–533	1 14 0
320	Capacitor, 120 mmfd.	86035–518	2 10 0
321	Capacitor, 220 mmfd.	86035–521	2 10 0
322	Capacitor, 560 mmfd.	95094–581	2 10 0
323	Capacitor, 3,300 mmfd.	72042–569	4 8 0
324	Capacitor, 6,000 mmfd.	72042–576	5 10 0
325	Capacitor, .005 mfd.	72045–613	1 14 0
326	Capacitor, 0.25 mfd.	72017–18	1 8 0
327	Capacitor, .01 mfd. 500 volts	72017–611	1 14 0
328	Capacitor, .01 mfd. 1,000 volts	72045–611	1 14 0
329	Capacitor, .01 mfd. 400 volts	72017–631	2 4 0
330	Coil, Antenna Coil	866 4–502	10 2 0
331	Coil, Oscillator Coil	86669–504	7 8 0
332	Condenser, Variable tuning condenser	91996–1	18 12 0
333	Control, Volume control and power switch	97900–115	11 4 0
334	Cord, Drive cord (approximate 50" overall length)	90465–514	0 12 0
335	Core, adjustable core and stud for oscillator coil	79695–502	2 10 0
336	Indicator, Station selector indicator	89761–5999	1 8 0
337	Insulator, Phone input stocket insulator	90057–4	0 5 0
338	Plate, Dial back plate complete pulleys and bracket less dial.	92219–502–999	7 8 0
339	Plug, 2 prong make plug for power input	89524–3	0 12 0
340	Pulley, Drive cord pulley, A1 Pulley 87297–6, B1-shield Rivet 82266-3		0 5 0
341	Pulley, Tuning condenser pulley	91679–1–230	1 14 0
342	Resistor, 10 ohms., ½ watt	78726–38	1 8 0
343	Resistor, 100 ohms., 4 watt (220/110 AC/DC)	90422–2	2 4 0
344	Resistor, 150 ohms., ½ watt	78727–52	1 8 0
345	Resistor, 560 ohms., 1 watt (220/110 AC/DC)	78728–59	1 8 0
346	Resistor, 1,000 ohms., ½ watt	78727–62	1 8 0
347	Resistor, 3,900 ohms., ½ watt	78727–69	1 8 0
348	Resistor, 33,000 ohms., ½ watt	787.6—22	1 8 0
349	Resistor, 47,000 ohms., ½ watt	78726–23	1 8 0
350	Resistor, 2 0, 00 ohms., ½ watt	78726–27	1 8 0
351	Resistor, 470,000 ohms., ½ watt	78726–29	1 8 0
352	Resistor, 2.2 meg., ½ watt	78726–33	1 8 0
353	Resistor, 3.9 meg., ½ watt	78726–105	1 8 0
354	Resistor, 10 meg., ½ watt	78726–37	1 8 0
355	Socket, Phono input socket	90057–3	1 8 0
356	Socket, Tube socket	94067–2	1 14 0
357	Spring, Drive cord spring	81391–13	0 6 0
358	Transformer, Audio transformer for models using speaker stamped RL–86A-3	97610–503	11 10 0
359	Transformer, Audio Transformer for models using speaker stamped RL–86B–2	94131–504	9 12 0
360	Transformer First I.F. Transformer	91445–505	12 12 0
361	Transformer, Second I.F. Transformer	91445–503	13 14 0
362	Washer, "C" washer for tuning shaft	82639–1	0 2 0
363	Cap, Dust Cap	383715–3	0 2 0
364	Coil, Field Coil	97616–506	9 12 0
365	Coil, Field Coil, 3.300 ohms.	97616–501	11 4 0
366	Back-Cabinet back-less power cord and plug	92274–2	3 6 0
367	Cord, Power cord and plug	89524–1	7 8 0
368	Dial, Glass dial scale	29382–1	9 6 0
369	Knob, Range switch or volume control knob	95060–504	1 14 0
370	Knob, Tuning knob	95060–503	1 14 0
371	Spring, Retaining spring for knob	82890–2	0 6 0
	Model QB9.		
372	Bracket, Tone control bracket	94258–501	1 14 0
373	Calibrator, Drive drum calibrator	2756–3	0 12 0
374	Capacitor, electrolytic, 20 mfd., 250 volts	86011–10	4 8 0
375	Capacitor, electrolytic, 30 mfd., 250 volts	86011–13	4 8 0
376	Capacitor, Air Trimmer, medium 2–12mmf.	80832–503	3 12 0
377	Capacitor, Mica trimmer comprising 3 sections of 2.5 10 mmf. each	91266–4	4 8 0
378	Capacitor, 6 mmf., ceramic	85514–24	2 10 0
379	Capacitor, 15 mmf., ceramic	90579–213	2 10 0
380	Capacitor, 15 mmf., silvered mica	95095–509	2 10 0
381	Capacitor, 47 mmf., ceramic	90580–125	2 10 0
382	Capacitor, 47 mmf., silvered mica	95094–530	2 10 0
383	Capacitor, 56 mmf., moulded	86035–514	2 10 0
384	Capacitor, 56 mmf., unmoulded	80390–527	1 14 0
385	Capacitor, 68 mmf., ceramic	90579–129	2 10 0
386	Capacitor, 68 mmf., silvered mica	95094–538	2 10 0
387	Capacitor, 100 mmf., moulded	86035–547	2 10 0
388	Capacitor, 100 mmf., unmoulded	80390–533	1 14 0
389	Capacitor, 180 mmf., moulded	90579–213	2 10 0
390	Capacitor, 220 mmf., moulded	86035–551	2 10 0
391	Capacitor, 560 mmf., silvered mica	95094–581	2 10 0
392	Capacitor, 3.000 mmf., tubular	7204–568	4 2 0
393	Capacitor, .0025 mfd., 1,400 volts	72045–617	1 8 0
394	Capacitor, .005 mfd., 500 volts	72017–605	1 14 0
395	Capacitor, .01 mfd., 1,000 volts	72045–611	1 14 0
396	Capacitor, .05 mfd., 400 volts	7–045–697	1 8 0
397	Capacitor, .05 mfd., 400 volts	72017–623	1 8 0
398	Capacitor, 0.1 mfd., 300 volts	72045–605	1 14 0
399	Capacitor, 0.5 mfd., 150 volts	72045–601	2 4 0
400	Coil, Bias Coil	79677–2	1 14 0
401	Coil, Antenna Coil, "A" band	91430–502	8 4 0
402	Coil, Antenna Coil, spread band	91264–503	5 10 0
403	Coil, Oscillator Coil, "A" and "B" band	91461–501	6 0 0
404	Coil, Oscillator Coil, 19-13 meter band	91248–505	3 6 0
405	Coil, Oscillator Coil, 31 meter band	91253–504	3 12 0

1	2	3	4 Rs. a. p.
409	Cord, Drive Cord (approx. 28" overall length)	79079–505	0 12 0
410	Cord, Indicator Cord (approx. 53" overall length)	93818–519	1 14 0
411	Core, adjustable core and stud for "A" and "B" bands oscillator coil	88097–503	1 2 0
412	Core, Adjustable core and stud for I.F. transformer	78691–501	1 2 0
413	Core, Adjustable core and stud for 19-13 metre and 31 metre bands oscillator coils	87571–501	1 2 0
414	Drum, Drive drum less calibrator	91444–506	4 2
415	Flywheel, Tuning shaft flywheel	94073–1	8 4
416	Holder, Bias cell holder	87727–2	1 2
417	Plug, 3 contact plug for speaker cable	77243–1	1 14
418	Plug, 8 prong male plug for power input cable	80867–5	2 10
419	Pulley, Drive Cord pulley	87–297–230	0 12 0
420	Pulley, Drive Cord pulley located between knob shafts	87297–3–230	0 12 0
421	Resistor, 10 ohms., 0.25 watt type	78726–1	1 8 0
422	Resistor, 5,600 ohms., 0.25 watt type	78726–71	1 8 0
423	Resistor, 8,200 ohms., 1 watt type	78728–73	1 8 0
424	Resistor, 22,000 ohms., 0.25 watt type	78726–21	1 8 0
425	Resistor, 33,000 ohms., 0.25 watt type	78726–22	1 8 0
426	Resistor, 390,000 ohms., 0.25 watt type	78726–93	1 8 0
427	Resistor, 4.0,000 ohms., 0.25 watt type	78726–29	1 8 0
428	Resistor, 650,000 ohms., 0.25 watt type	78727–60	1 8 0
429	Resistor, 8.0,000 ohms., 0.25 watt type	78726–97	1 8 0
430	Resistor, 1 megohm, 0.25 watt type	78726–31	1 8 0
431	Resistor, 2.2 megohm., 0.25 watt type	78726–33	1 8 0
432	Screw, 8-32 square head set screw	64–386–230	0 4 0
433	Shaft, Tuning knob shaft	94080–2	1 14 0
434	Socket, Phono input socket	82373–6	1 2 0
435	Socket, Tube socket	94067–2	1 14 0
436	Spring, Drive cord spring	81391–4	0 10 0
437	Spring, Indicator cord spring	81391–13	0 6 0
438	Spring Retaining spring for adjustable core and studs	875–67–1	0 1 0
439	Spring, Retaining spring for I.F. Transformers core and stud	75969–1	0 2 0
440	Support, Pulley support complete with pulley	91398–502–999	2 10 0
441	Support, Pulley support complete with 3 pulleys	398–501–999	4 2 0
442	Support, Tuning shaft and flywheel support A1, Support 94072–1 B2, Weld screws 85211–1 C, Assembled per 94083–501		1 8 0
443	Switch, Range switch	91439–2	13 2 0
444	Switch, Tone control switch	80931–57	5 10 0
445	Transformer, First I.F. Transformer	91445–505	12 12 0
446	Transformer, Second I.F. Transformer	91445–503	13 14 0
447	Transformer, Output, transformer	89629–504	14 4 0
448	Washer, "C" washer for pulley 87297–3	82639–1	0 2 0
449	Washer, "C" washer for tuning shaft	61933–1	0 4 0
	Vibrator Power Supply Assemblies.		
450	Capacitor, Electrolytic, 16 mfd. 350 volts	86011–6	6 0 0
451	Capacitor, 470 mmf., moulded	80390–549	2 10 0
452	Capacitor, 470 mmf., moulded	86035–525	2 10 0
453	Capacitor, .008 mfd., 1,200 volts	72046–606	1 14 0
454	Capacitaor, .01 mfd., 1,000 volts	72045–612	6 14 0
455	Clip, battery clip (1 set)	83622–1 & 2	2 4 0
456	Coil, Choke coil	94124–1	2 10 0
457	Fuse, 5 amp.	55544–6	0 12 0
458	Plug, Female plug for power supply cable.	80912–10	3 12 0
459	Resistor, 1,000 ohms., 0.25 watt	78726–7	1 8 0
460	Resistor, 2,200 ohms., 0.5 watt	82261–66	1 8 0
461	Socket, Vibrator socket	79402–1	2 4 0
462	Transformer, Vibrator transformer	97622–501	37 8 0
463	Vibrator, plug-in-vibrator	80783–6	30 0 0
	Speaker Assemblies.		
464	Cap, Dust cap	79403–1	0 2
465	Coil, Field Coil (8 ohms.)	89649–506	28 2
466	Coil, Neutralizing coil	88199–501	1 14 0
467	Plug, 3 prong male plug for speaker	77209–1	1 14 0
	Miscellaneous Assemblies.		
468	Dial, Glass dial scale	29381–1	15 0 0
469	Indicator, Station Selector indicator	97786–504	3 0 0
470	Knob, Tone control knob	86943–511	1 14 0
471	Knob, Tuning knob	95060–503	1 14 0
472	Knob, Volume control or range switch knob	95060–504	1 14 0
473	Spring, Retaining spring for knob 86943–511	82890–1	0 6 0
474	Spring, Retaining springs for knobs 95060–504 and 95060–503.	82890–2	0 6 0

SPARE PARTS FOR PHILLIPS

	For Models 593-HN—235AN/HN (593-AN and 593-HN).			
475	Cabinet—593	N3–66–020	16 3 0	
476	Grille Cloth	N6–600–130	6 15 0	(per yd.)
477	Emblems	28–713–27N	0 8 0	
478	Dial—Standard	N8–700–400	1 4 0	
479	Tuning Knobs	N3–610–001	0 8 0	
480	Band Knobs	N3–610–011	0 10 0	
481	Band Switch	N8–650–140	4 9 0	
482	Back Cover Plate	N8–400–130	0 12 0	
483	Banana Plug	23–012–090	0 7 0	
484	Antenna Ground Plate	28–874–5–0N	0 7 0	

1	2	3	4
			Rs. a. p.
488	Dial Lamp Socket	N3-160-010	0 6 0
489	Dial Diffusion Screen	N4-000-320	1 10 0
490	Pulley	N3-200-000	0 4 0
491	Octal Socket	N3-160-360	0 5 0
492	Rubber Grommet	N1-550-000	0 4 0
493	Dial Light	P-47	0 4 0
494	Tuning Condenser	N8-210-080	6 8 0
495	Trimmer	N8-212-260	3 8 0
496	Adj. Condenser	N8-212-270	0 11 0
497	Trimmer	N8-212-290	1 1 0
498	Mica Condenser	N8-190-100	0 8 0
499	Trimmer	N8-212-280	1 8 0
500	Electrolytic Condenser	N8-180-000	4 1 0
501	Coils	N8-560-410	3 10 0
502	Coils	N8-540-460	3 13 0
503	Coils	N8-540-4 0	2 9 0
504	Coils	N8-560-440	3 1 0
505	Transformer	N8-570-000	4 9 0
506	Transformer	N8-570-010	4 9 0
507	Output Transformer	N8-520-000	3 4 0
508	Cone and Coil	N8-220-080	5 2 0
509	Auto Transformer	N8-530-080	4 15 0
510	Tone Control	N8-810-050	1 13 0
511	Volume Control	N8-810-040	2 6 0
	For Models 594-AN/HN—335-HN—33-Mur Radio Sets.		
512	Dial Scale Standard	N8-700-600	2 0 0
513	Back Cover Plate	N8-400-210	1 4 0
514	Turn Button for Back Cover	28-752-072N	0 2 0
515	Spring Clips	28-750-040N	0 2 0
516	Speaker	N8-950-090	16 0 0
517	Wave Trap	N8-560-740	2 9 0
518	Tone Control	N8-810-150	1 10 0
519	Volume Control	N8-810-160	2 6 0
	For Models 595-HN—436-HN—34-MUR (Radio Sets.)		
520	Back Cover	N8-400-140	1 0 0
521	Dial, Standard	N8-700-450	4 8 0
522	Band Indicator Disc	N8-700-490	3 6 0
523	Pointer	N8-000-340	0 11 0
524	Band Switch	N8-650-150	2 14 0
525	Band Antenna Wafer	N8-650-160	2 2 0
526	Band R.F. Wafer	N8-650-170	2 6 0
527	Band Osc. Wafer	N8-650-180	2 2 0
528	Local Switch	N8-650-190	0 10 0
529	Phono Switch	N8-650-200	1 1 0
530	Tuning Eye Socket Assembly	N3-160-260	1 4 0
531	Dial Lamps per 100	P-144	22 6 0
532	Pointer Drive Spring	N1-100-090	0 1 0
533	Ind. Drive Spring	N1-100-100	0 4 0
534	Dial Light Socket	N3-160-420	0 6 0
535	Coils	N8-560-500	12 12 0
536	Coils	N8-560-510	2 4 0
537	Coils	N8-560-520	2 12 0
538	Coils	N8-560-530	2 4 0
539	Coils	N8-560-540	0 3 0
540	Coils	N8-560-550	3 0 0
541	1st I.F. Transformer	N8-570-150	5 0 0
542	2nd I.F. Transformer	N8-570-160	5 11 0
543	Output Transformer HN	N8-520-120	6 6 0
544	Cone and Coil	N8-220-110	5 12 0
545	Power Transformer	N8-530-100	31 14 0
546	Antenna Choke	N8-560-650	0 12 0
547	Tuning Condenser	N8-210-110	26 8 0
548	Trimmer	N8-212-330	2 0 0
549	Trimmer	N8-212-340	3 0 0
550	Trimmer	N8-212-350	1 10 0
551	Mica Condenser	N8-190-250	0 14 0
552	Electrolytic Condenser	N8-180-200	6 6 0
	For Model 597-AN/HN Radio Sets.		
553	Dial Escutcheon	N8-680-000	3 5 0
554	Dial, Standard	N8-700-500	4 14 0
555	Pointer	N4-000-130	0 12 0
556	Rear Panel	N8-400-150	2 2 0
557	Compression Spring	N1-100-040	0 4 0
558	Tension Spring	N1-100-050	0 4 0
559	Tuning Socket and Cable	N3-160-260	1 5 0
560	Pilot Light Socket	N3-160-270	0 4 0
561	Tuning Condenser	N8-210-120	16 15 0
562	Trimmer	N8-212-000	1 8 0
563	Trimmer	N8-212-380	1 7 0
564	Trimmer	N8-212-010	1 2 0
565	Trimmer	N8-212-290	1 1 0
566	Trimmer	N8-212-400	0 12 0
567	Trimmer	N8-212-410	1 15 0
568	Trimmer	N8-212 390	1 8 0
569	Electrolytic Condenser	N8-180-020	3 13 0
570	Condenser	N8-190-080	0 11 0
571	Coils	N8-560-620	4 6 0
572	Coils	N8-560-630	4 12 0
573	Coils	N8-560-640	3 12 0
574	Coils	N8-560-650	4 9 0
575	Coils	N8-560-660	3 12 0
576	Coils	N8-560-670	4 12 0
577	Coils	N8-560-040	1 10 0
578	Transformer I.F.	N8-570-080	4 14 0
579	Transformer I.F.	N8-570-090	4 14 0
		N8-520-060	4 15 0

1	2	3	4
			Rs. a. p.
	For Model 737-VN Radio Sets.		
585	Dial Scale—Standard	N8-700-650	3 4 0
586	Pointer	N8-700-290	0 12 0
587	Dial Light Socket and Assembly	N3-160-410	2 3 0
588	Service Button Cover	N8-400-120	0 7 0
589	Tube Shield Base	N4-000-200	1 8 0
590	Tube Shield	N4-000-210	1 4 0
591	Shielded Can	N4-000-380	0 12 0
592	Coil Mounting Wafer	N3-100-010	0 4 0
593	Band Selector Switch	N8-650-130	5 8 0
594	Tuning Shaft	N1-400-070	2 4 0
595	Drive Cord Spring	N1-100-110	0 3 0
596	Synchronous Vibrator	N8-890-000	11 0 0
597	Antenna Coil	N8-560-460	4 15 0
598	Antenna Coil	N8-560-450	6 4 0
599	Oscillator Coil	N8-560-480	4 8 0
600	Oscillator Coil	N8-560-470	6 14 0
601	1st I.F. Transformer	N8-570-130	3 13 0
602	2nd I.F. Transformer	N8-570-140	4 8 0
603	Vibrator Transformer	N8-530-090	12 0 0
604	R.F. Choke	N8-560-180	1 4 0
605	"A" Choke	N8-560-490	2 5 0
606	Tuning Condenser	N8-210-100	8 3 0
607	Trimmer	N8-212-320	0 14 0
608	Mica Condenser	N8-190-240	1 4 0
609	Electrolytic Capacitor	N8-180-180	3 5 0
610	Volume Control	N8-810-110	2 5 0
611	Tone Control	N8-810-120	3 3 0
	For Model 739-VN Radio Sets.		
612	Dial—Standard	N8-700-700	4 6 0
613	Pointer	N4-000-450	0 14 0
614	Dial Light Socket Assembly	N3-160-410	2 3 0
615	Tube Shield Base	N4-000-200	0 2 0
616	Tube Shield	N4-000-210	0 6 0
617	Shielded Can	N4-000-380	2 3 0
618	Coil Mounting wafer	N3-100-010	0 4 0
619	Tuning Shaft Assembly	N1-400-070	0 14 0
620	Band Indicator Disc. Assembly	N8-700-580	1 15 0
621	Speaker	N8-950-110	21 7 0
622	Vibrator	N8-990-999	11 4 0
623	Drive Cord Spring	N1-100-110	0 2 0
624	Tuning Condenser	N8-210-130	24 12 0
625	Trimmer	N8-212-420	4 0 0
626	Trimmer	N8-212-450	0 14 0
627	Mica Condenser	N8-193-080	1 1 0
628	Do	N8-193-030	1 1 0
629	Do	N8-193-000	1 1 0
630	Trimmer	N8-212-110	0 14 0
631	Mica Condenser	N8-194-030	1 1 0
632	Do	N8-193-020	0 14 0
633	Trimmer	N8-212-460	1 1 0
634	Mica Condenser	N8-193-060	1 1 0
635	Electrolytic Capacitor	N8-180-210	6 0 0
636	Condenser	N8-195-010	0 12 0
637	Do	N8-190-150	1 4 0
638	Mica Condenser	N8-192-020	0 6 0
639	Do	N8-193-010	1 1 0
640	Antenna Coil BC	N8-560-680	7 10 0
641	Antenna Coil SW	N8-560-690	8 6 0
642	R.F. Coil BC	N8-560-700	7 10 0
643	R.F. Coil S.W.	N8-560-710	8 3 0
644	Osc. Coil BC	N8-560-720	7 10 0
645	Osc. Coil SW	N8-560-730	8 6 0
646	1st I.F. Transformer	N8-570-200	6 12 0
647	2nd I.F. Transformer	N8-570-210	6 12 0
648	Output Transformer	N8-520-100	6 4 0
649	Cone and Voice Coil	N8-220-100	5 10 0
650	R.F. Choke Coil	N8-560-180	1 4 0
651	Vibrator Transformer	N8-530-030	11 4 0
652	"A" Choke	N8-560-190	1 4 0
653	Volume Control	N8- 10-200	2 9 0
654	Tone Control	N8-810-120	2 3 0
655	Filter Choke	N8-530-060	9 0 0
656	Output Transformer	N8-520-080	6 6 0
657	Mica Condenser	N8-190-220	0 14 0
658	Mica Condenser	N8-190-100F	0 8 0
659	Mica Condenser	N8-190-230	0 14 0
660	Band witch	N8-650-250	12 8 0
	Type.	II. TUBES.	
661	6SA7		7 2 0
662	6SS7		7 2 0
663	6T7G		9 6 0
664	6Y7G		11 10 0
665	6SK7		7 2 0
666	6SQ7		7 2 0
667	6AD7G		11 10 0
668	12SA7		7 2 0
669	12SK7		7 2 0
670	12SQ7		7 2 0
671	35Z5GT		6 0 0
672	50L6GTG		7 14 0
673	25L6GTG		7 14 0
674	25Z6GTG		7 2 0
675	80		4 14 0
676	6V6GTG		7 14 0
677	6G6G		9 6 0
678	6S7G		11 10 0
679	6X5GTG		7 2 0
680	5Z4		9 6 0